

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: DOW CORNING MARINE SEALANT
Company name: Geocel Limited
Western Wood Way
Langage Science Park
Plympton
Plymouth
PL7 5BG
Tel: 01752 202060
Fax: 01752 334384

2. HAZARDS IDENTIFICATION

Main hazards: No significant hazard.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: TRIACETOXY(ETHYL)SILANE 1-10%
CAS: 17689-77-9
[-] R14; [Xn] R22; [C] R34

- METHYLTRIACETOXYSILANE 1-10%
CAS: 4253-34-3
[-] R14; [Xn] R22; [C] R34

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be mild irritation at the site of contact.
Eye contact: There may be irritation and redness.
Ingestion: There may be irritation of the throat.
Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4. FIRST AID MEASURES (ACTION)

Skin contact: Wash immediately with plenty of soap and water.
Eye contact: Bathe the eye with running water for 15 minutes.
Ingestion: No first aid should be needed
Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Carbon dioxide. Alcohol or polymer foam. Dry chemical powder. Water fog. Use water spray to cool containers.

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. Silica formaldehyde

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Determine the need to evacuate or isolate the area according to your local emergency plan.

SAFETY DATA SHEET
DOW CORNING MARINE SEALANT

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. The spilled product produces an extremely slippery surface.

7. HANDLING AND STORAGE

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Hazardous ingredients: TRIACETOXY(ETHYL)SILANE
WEL (8 hr TWA): 10 ppm WEL (15 min STEL): 25 mg/m³

- METHYLTRIACETOXYSILANE
WEL (8 hr TWA): 10 ppm WEL (15 min STEL): 25 mg/m³

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protective device with particle filter.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Paste

Colour: Various

Odour: Characteristic odour

Viscosity: Highly viscous

Relative density: 1.02

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: None established

Materials to avoid: Strong oxidising agents. Water.

Haz. decomp. products: In combustion emits toxic fumes. If this product is heated to > 150 degrees C, trace quantities of formaldehyde may be released, and adequate ventilation is required.

11. TOXICOLOGICAL INFORMATION

Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

12. ECOLOGICAL INFORMATION

Bioaccumulative potential: No bioaccumulation potential.

Other adverse effects: Negligible ecotoxicity.

13. DISPOSAL CONSIDERATIONS

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION**ADR / RID**

UN no: Not Classified.

IMDG / IMO

UN no: Not Classified.

IATA / ICAO

UN no: Not Classified.

15. REGULATORY INFORMATION

Hazard symbols: No significant hazard.

Safety phrases: S23: Do not breathe ...

S24: Avoid contact with skin.

S51: Use only in well-ventilated areas.

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Risk phrases used in s.3: R14: Reacts violently with water.

R22: Harmful if swallowed.

R34: Causes burns.

Legal disclaimer: This product safety data sheet was prepared in compliance with Art.31 and Annex II of Regulation (EC) No 1907/2006 (REACH) as well as their relevant amendments, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use,

SAFETY DATA SHEET
DOW CORNING MARINE SEALANT

handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the Geocel product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Geocel Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with Regulation (EC) No 1907/2006.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Geocel shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local Geocel supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary - even for the same product - between different countries, reflecting the different compliance requirements. Should you have any question, please refer to your local Geocel supplier.